**Full Colour Multi Function Printer** 

IM C2010 IM C2510 IM C3010 IM C3510 IM C4510 IM C6010



Innovative
 Digital Solutions
 Where people meet technology.



IM C3510

IM C4510

IM C6010

# Let's make your print infrastructure a gateway to your digital workspace

As workstyles evolve, digitalisation, agility and teamwork are essential for your organisation to remain competitive. Ricoh's Managed Print & Automation Services unlock the value of your print infrastructure with tailored, managed solutions which empower your people, improve efficiency, reduce cost, enhance security and drive sustainability. Our market-leading IM C Series is innovatively designed. Devices seamlessly integrate with cloud-based services and offer high-quality print, scanning and workflow automation.



# Table of contents

Achieve your sustainability goals	Page 4			
Secure and efficient	Page 5			
Enhanced productivity and seamless employee experience	Page 6			
Supporting your entire digital journey now and into the future	Page 7			
The choice is yours	Page 8			
Hardware configuration	Page 10			
Product specification	Page 11/12			



## Achieve your sustainability goals

With environmental impact at the top of the global agenda, a sustainable approach to organisational operations is essential. Whether reducing resource and energy consumption to save costs or demonstrating a responsible approach to procuring products and services, the right print infrastructure and partner can support your sustainability goals.

#### A carbon neutral future

At Ricoh, we are firmly committed to reducing our environmental impact and driving a sustainable approach. The IM C Series significantly reduces energy consumption, as well as paper consumption by digitising workflows through scanning; helping to reduce your carbon footprint and costs.

#### More energy savings

The IM C Series boasts industry-leading low Typical Energy Consumption (TEC) values and automatic eco-mode energy saving (0.3W) when in sleep mode. They use an innovative new toner that fuses at a lower temperature, resulting in the ideal intelligent device with sustainability at its core.

### More recycled plastic

Designed for sustainability across its lifecycle, the IM C Series is made using 50% post-consumer recycled plastic while PET toner bottles are produced from 100% recycled plastic. Plastic packaging is reduced by 54% thanks to a more sustainable material and no excess packaging.

## Secure and efficient

In an increasingly digital world, organisations must protect sensitive data while enabling flexible workstyles. Our printers are designed and manufactured with end-to-end security protection and includes the latest security features – RICOH Always Current Technology and Multi-Factor Authentication. Secure cloud infrastructure ensures safe access – anywhere and any device.

#### **Ongoing security**

RICOH's Always Current Technology provides access to security upgrades and automatically downloads updates. New security tools include WPA3 authentication for wireless encryption and the latest hardware security module. You can also restrict networks by port name and protocol as well as IP address.

#### More security – Multi-Factor Authentication

Multi-Factor Authentication, including new card-based access to our printing devices, to minimise the risk of data breaches.

#### Improved admin management system

The IM C Series offers privileged admin account control with unlimited Multi-Function Printer administrator accounts and customisable permissions. This eliminates risks related to sharing IDs and can be linked to user ID systems including Microsoft Windows and LDAP platforms.





# Enhanced productivity and seamless employee experience

Ricoh's intelligent devices enable the ultimate employee experience with features that save time and increase efficiency. The IM C Series automates workflows that accelerate processes and encourage collaboration. An optimised print infrastructure empowers employees to transition to digital ways of working easily and securely; improving their workplace experience.

#### **Third-generation Smart Operation Panel**

Our user-friendly IM C Smart Operation Panel has been upgraded for an even more intuitive and enjoyable experience. Brightness, touch sensitivity and position detection have been improved for optimal access to the device's many resources and functions.

#### Improved user experience

- Android OS 10 for better security and usability
- Faster CPU, high RAM memory and enhanced performance
  Enhanced accessibility to device, tiltable for better visibility &
- new capacitive touch sensor
- Fast wake up time from sleep mode

### **Efficiencies in paper handling**

New peripherals ensure professional results with automated finishing possibilities. The single pass double-sided document feeder capably handles high volumes, special paper and card types. High-end options include a hybrid and booklet finisher for that extra touch.







# Supporting your entire digital journey now and into the future

We understand the digital transformation that organisations are undertaking. We are here to set your organisation up for success and equip your people with the right tools to stay ahead. Our Managed Print & Automation Services can adapt to your changing needs, offering customisation, flexibility and reliability.

### Scanning and automation

Scanning and automation just got easier and quicker. Scanning creates digitised documents that can automate processes like invoice and contract management. Uploading documents into your systems for archiving, knowledge sharing or as part of a workflow is now simpler with Ricoh's software.

### Document management storage

Our scalable document management applications drive significant cost savings alongside process improvements. By taking print to the cloud, you can set location-aware printers and enable users to print anytime, anywhere.

## Transitioning to the cloud

Our cloud software solutions are readily available and easy to integrate with your existing IT infrastructure, allowing you to enhance the capabilities of your print device. You can also securely connect mobile devices to carry out tasks from your phone or tablet.







## The choice is yours

Simple to use with sophisticated and professional results, Ricoh's IM C Series is the perfect tool for your digital workspace. Our trusted quality and technical expertise are evident from every angle.

#### IM C2010/IM C2510

- 20 to 25 ppm A3 all-in-one printer for all-round support
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.20 (20ppm)/0.25 (25ppm)
- B/W power consumption (operation): 411.8 W (20ppm)/449.2 W (25ppm), Sleep mode: 0.3 W

### IM C3010/IM C3510


- 30 to 35 ppm A3 all-in-one printer for high productivity
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.30 (30ppm)/0.35 (35ppm)
- B/W power consumption (operation): 464.4 W (30ppm)/500.5 W (35ppm), Sleep mode: 0.3 W

#### IM C4510/IM C6010

- Productive 45 to 60 ppm A3 all-in-one printer for top performance
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 23 seconds
- TEC value (kWh/week): 0.45 (45ppm)/0.67 (60ppm)
- B/W power consumption (operation): 576.6 W (45ppm)/763.3 W (60ppm), Sleep mode: 0.32 W



# Hardware configuration



## IM C2010/IM C2510/IM C3010/IM C3510/IM C4510/IM C6010

	IM C2010 (ARDF)	IM C2510 (ARDF)	IM C3010 (SPDF)	IM C3510 (SPDF)	IM C4510 (SPDF)	IM C6010 (SPDF)
BENERAL						
Varm-up time	24 seconds	24 seconds	24 seconds	24 seconds	23 seconds	23 seconds
irst copy speed: B/W	5.1 seconds	5.1 seconds	4.5 seconds	4.5 seconds	3.6 seconds	2.9 seconds
irst copy speed: full colour	7.4 seconds	7.4 seconds	6.9 seconds	6.9 seconds	5.4 seconds	4.2 seconds
continuous output speed	20 ppm	25 ppm	30 ppm	35 ppm	45 ppm	60 ppm
lemory: standard	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB
lemory: maximum	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB
SD: standard	0.00	0.00	256		0.00	0.00
SD: optional			230			
ocument Feeder capacity	100 sheets	100 sheets	220 sheets	220 sheets	220 sheets	220 sheets
	89.7	89.7	99.3	99.3	100.8	100.8
Veight (kg)						
limensions WxDxH (mm)	587 x 701 x 913	587 x 701 x 913	587 x 701 x 963	587 x 701 x 963	587 x 701 x 963	587 x 701 x 96
ower source			220 - 240 V	, 50 - 60 Hz		
OPIER						
Iultiple copying Resolution			Up to 99 600			
loom			From 25% to 40	•		
RINTER						
irst print speed: B/W	4.5 seconds	4.5 seconds	4 seconds	4 seconds	3.2 seconds	2.4 seconds
irst print speed: full colour	7 seconds	7 seconds	6.6 seconds	6.6 seconds	5.2 seconds	3.8 seconds
PU (IM C2010, IM C2510, / C3010, IM C3510)	ApolloLake E3930 1.3 GHz					
PU (IM C4510, IM C6010)			ApolloLake E	3940 1.6 GHz		
rinter language: standard		PCL5c, PC	L6, PostScript 3 (em	ulation), PDF direct	(emulation)	
rinter language: option		Genuine Adob	e <sup>®</sup> PostScript <sup>®</sup> 3™, P	PictBridge, PDF Dire	ct from Adobe®	
rint resolution: maximum			4,800 x 1,200	dpi equivalent		
letwork interface: standard	Etherr	net 10 base-T/100 ba	ase-TX/1000 base-T	, USB Host I/F Type	A, USB Device I/F	Гуре В
letwork interface: option		Wireless LA	N (IEEE 802.11 a/b/	g/n/ac), Additional N	IIC (2 <sup>nd</sup> port)	
lobile printing capability		Apple AirP	rint, Mopria <sup>®</sup> , NFC, F	Ricoh Smart Device	Connector	
Vindows <sup>®</sup> environments	Windows <sup>®</sup> 8.1, V	/indows <sup>®</sup> 10, Windo	ws <sup>®</sup> 11, Windows <sup>®</sup> S 2019, Windows		lows <sup>®</sup> Server 2016, \	Windows <sup>®</sup> Server
lac OS environments			Macintosh OS >	(v10.15 or later		
INIX environments	U	NIX Sun <sup>®</sup> Solaris, H	P-UX, SCO OpenSe	erver, RedHat <sup>®</sup> Linu>	c Enterprise, IBM® Al	Х
AP® environments			SAP® R/3®,			
Other supported environments			IBM is	Series		
CANNER						
canning speed:	80 ipm	80 ipm	150 ipm (simplex)	150 ipm (simplex)	150 ipm (simplex) 300 ipm (duplex)	150 ipm (simple)
	00 ipin					300 ipm (duplex
A4 LEF, 200dpi, B/W, full colour)	00 1011		300 ipm (duplex)	300 ipm (duplex)	,	
44 LEF, 200dpi, B/W,	Single Page TIF	100 c F, Single page JPEC	300 ipm (duplex) dpi, 200 dpi(default), G, Single page PDF, i page High compres	300 dpi, 400 dpi, 60 Single page High co	00 dpi ompression PDF, Sin	gle page PDF/A,
A4 LEF, 200dpi, B/W, ull colour) Resolution ille formats	Single Page TIF	100 c F, Single page JPEC lulti page PDF, Multi	dpi, 200 dpi(default), S, Single page PDF, page High compres age Encryption PDF,	300 dpi, 400 dpi, 60 Single page High co sion PDF, Multi pag Single/multi OCR (c	00 dpi ompression PDF, Sin e PDF/A, Single pag	gle page PDF/A,
v4 LEF, 200dpi, B/W, ull colour) esolution ile formats can modes	Single Page TIF	100 c F, Single page JPEC lulti page PDF, Multi	dpi, 200 dpi(default), 6, Single page PDF, page High compres	300 dpi, 400 dpi, 60 Single page High co sion PDF, Multi pag Single/multi OCR (c	00 dpi ompression PDF, Sin e PDF/A, Single pag	gle page PDF/A,
A4 LEF, 200dpi, B/W, ull colour) esolution ile formats can modes AX	Single Page TIF	100 c F, Single page JPEC lulti page PDF, Multi	dpi, 200 dpi(default), 6, Single page PDF, page High compres ige Encryption PDF, E-mail, Folder,	300 dpi, 400 dpi, 60 Single page High cc sion PDF, Multi pag Single/multi OCR (c USB, SD Card	00 dpi ompression PDF, Sin e PDF/A, Single pag	gle page PDF/A,
A4 LEF, 200dpi, B/W, ull colour) esolution ile formats can modes AX	Single Page TIF	100 c F, Single page JPEC lulti page PDF, Multi	dpi, 200 dpi(default), 6, Single page PDF, page High compres ige Encryption PDF, E-mail, Folder, PSTN	300 dpi, 400 dpi, 60 Single page High cc sion PDF, Multi pag Single/multi OCR (c USB, SD Card	00 dpi ompression PDF, Sin e PDF/A, Single pag	gle page PDF/A,
A4 LEF, 200dpi, B/W, ull colour) iesolution ile formats can modes AX ircuit ransmission speed	Single Page TIF	100 c F, Single page JPEC lulti page PDF, Multi	dpi, 200 dpi(default), 3, Single page PDF, page High compres ge Encryption PDF, E-mail, Folder, PSTN 3 sec	300 dpi, 400 dpi, 60 Single page High cc sison PDF, Multi pag Single/multi OCR (c USB, SD Card , PBX conds	00 dpi ompression PDF, Sin e PDF/A, Single pag	gle page PDF/A,
A4 LEF, 200dpi, B/W, ull colour) iesolution ile formats can modes AX ircuit ransmission speed lodem speed: maximum	Single Page TIF	100 c F, Single page JPEC lulti page PDF, Multi	dpi, 200 dpi(default), 5, Single page PDF, page High compres ge Encryption PDF, E-mail, Folder, PSTN 3 sec 33.6	300 dpi, 400 dpi, 600 Single page High cc sision PDF, Multi pag Single/multi OCR (c USB, SD Card I, PBX conds Kbps	00 dpi ompression PDF, Sin e PDF/A, Single pag	gle page PDF/A,
A4 LEF, 200dpi, B/W, ull colour) iesolution ile formats can modes AX ircuit ransmission speed lodem speed: maximum esolution: standard	Single Page TIF	100 c F, Single page JPEC lulti page PDF, Multi	dpi, 200 dpi(default), 6, Single page PDF, page High compres age Encryption PDF, E-mail, Folder, PSTN 3 sec 33.6 8x3.85 line/mm	300 dpi, 400 dpi, Single page High cc sision PDF, Multi pag Single/multi OCR (c USB, SD Card I, PBX conds Kbps n, 200x100 dpi	00 dpi ompression PDF, Sin e PDF/A, Single pag	gle page PDF/A,
A4 LEF, 200dpi, B/W, ull colour) tesolution ile formats can modes AX Errouit ransmission speed todem speed: maximum tesolution: standard tesolution: option	Single Page TIF	100 c F, Single page JPEC lulti page PDF, Multi	dpi, 200 dpi(default), 6, Single page PDF, page High compress ge Encryption PDF, E-mail, Folder, PSTN 3 sec 33.6 8x3.85 line/mn 16x15.4 line/mi	300 dpi, 400 dpi, Single page High cc sision PDF, Multi pag Single/multi OCR (c USB, SD Card I, PBX conds Kbps n, 200x100 dpi m, 400x400 dpi	00 dpi ompression PDF, Sin e PDF/A, Single pag	gle page PDF/A,
A4 LEF, 200dpi, B/W, ull colour) iesolution ile formats can modes AX ircuit ransmission speed lodem speed: maximum resolution: standard resolution: option ompression method	Single Page TIF Multi page TIFF, M	100 c F, Single page JPEC Iulti page PDF, Multi Multi pa	dpi, 200 dpi((default), 6, Single page PDF, page High compress age Encryption PDF, E-mail, Folder, 9 8 8 8 33.6 8 8 x3.85 line/mn 16x15.4 line/mi MH, MR, M	300 dpi, 400 dpi, Single page High cc Single/Multi pag Single/multi OCR (c USB, SD Card USB, SD Card I, PBX conds Kbps n, 200x100 dpi m, 400x400 dpi IMR, JBIG	00 dpi ompression PDF, Sin e PDF/A, Single pag optional)	gle page PDF/A, le Encryption PDf
A4 LEF, 200dpi, B/W, ull colour) iesolution ile formats can modes AX ircuit ransmission speed lodem speed: maximum esolution: standard	Single Page TIF	100 c F, Single page JPEC lulti page PDF, Multi	dpi, 200 dpi(default), 6, Single page PDF, page High compress ge Encryption PDF, E-mail, Folder, PSTN 3 sec 33.6 8x3.85 line/mn 16x15.4 line/mi	300 dpi, 400 dpi, Single page High cc Sion PDF, Multi pag Single/multi OCR (c USB, SD Card USB, SD Card I, PBX conds Kbps n, 200x100 dpi m, 400x400 dpi MRR, JBIG 94 spm	00 dpi ompression PDF, Sin e PDF/A, Single pag	gle page PDF/A,

### IM C2010/IM C2510/IM C3010/IM C3510/IM C4510/IM C6010

	IM C2010 (ARDF)	IM C2510 (ARDF)	IM C3010 (SPDF)	IM C3510 (SPDF)	IM C4510 (SPDF)	IM C6010 (SPDF)	
PAPER HANDLING							
Recommended paper size	Standard paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Optional paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Bypass tray: SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes, Custom Size paper (Width: 90-320mm, Length: 148-457.2mm (Copy/Document server) 148-1,260mm (FAX/Printer))						Adobe" PostScript" 3"
Paper input: standard	1,200 sheets				🚷 Bluetooth		
Paper input: maximum		4,700 sheets					
Paper output: standard			500 s	sheets			
Paper output: max. (IM C2010, IM C2510, IM C3010, IM C3510)	1,625 sheets					Certified	
Paper output: max. (IM C4510, IM C6010)	3,625 sheets						
Paper weight		Trays: (60 - 30	0 g/ m²), Bypass: (52	- 300 g/m²), Duplex	: (52 - 256 g/m²)		Horks with AirPrint
Paper types	Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coated paper, Envelope, Gloss paper, Label paper, OHP					Apple AirPrint	
ECOLOGY							Ou or and
Power consumption: max.	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,850 W	Less than 1,850 W	ENERGY STAR
Power consumption operation: B&W	411.8 W	449.2 W	464.4 W	500.5 W	576.6 W	763.3 W	
Power consumption operation: Full colour:	456.3 W	494.5 W	515.3 W	543.6 W	664.9 W	871.2 W	

opria

intel

PictBrida

38.5 W

38.5 W

40.5 W

40.1 W

37.7 W

#### OUTPUT TRAYS AND FINISHER OPTIONS

37.7 W

1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,500-sheet side Large capacity tray, 1,000-sheet Hybrid finisher, 3,000-sheet finisher, 1,000-sheet Booklet finisher, 3,000-sheet booklet finisher, 250-sheet Internal finisher, 500-sheet Internal finisher, Stapleless internal finisher, Internal multi-fold unit, Internal shift tray, One-bin tray, Output jogger unit

#### OTHER OPTIONS

Power consumption: ready

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Caster table, Memory unit, Side Tray, Banner paper guide tray, Punch units, IPDS unit, Post-Script 3, IEEE 802.11 *a/b/g/n/ac*, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, Counter I/F unit, NFC card reader, EFI controller, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option, Enhanced Security SSD, Bridge unit, Toner bottle lock, Stapleless unit, FAX stamp, Antimicrobial screen protector

#### CONSUMABLES

Toner (black)	30,000 Prints	30,000 Prints	40,000 Prints	40,000 Prints	42,000 Prints	42,000 Prints
Toner (cyan/magenta/yellow) Consumable yield based on 3p/j 5% coverage on A4	18,000 Prints	18,000 Prints	28,000 Prints	28,000 Prints	28,000 Prints	28,000 Prints



#### www.ricoh-ap.com

#### RICOH ASIA PACIFIC PTE LTD

20W Pasir Panjang Road, #04-28 Maplestree Business City, Singapore 117439

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2023 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.